

AMENDMENTS TO THE CLAIMS

1 **1. (Currently Amended).** A magnetic sheet for use on an electrical appliance having an original
2 appearance, the magnetic sheet comprising
3 a sheet magnet having
4 a first side and a second side; and
5 at least one decorative pattern on ~~a said first side of said sheet magnet;~~
6 ~~said sheet magnet having a second side comprising a magnetic surface~~ on said second
7 side for adhering to said electrical appliance, and
8 at least one line of weakness
9 wherein said sheet magnet is adapted to cover ~~covering~~ at least a portion of at least one surface of
10 the electrical appliance so that said ~~at least~~ at least a portion of at least one surface is covered by said
11 decoration to change the appearance of the electrical appliance from said original appearance to ~~a~~
12 said at least one decorative pattern.

1 **2. (Original).** The magnetic sheet as recited in claim 1 wherein said magnetic sheet comprises
2 a fitting sheet comprising a grid pattern for measuring and cutting said sheet magnet to size.

1 3. **(Original)**. The magnetic sheet as recited in claim 2 wherein
2 said grid pattern is situated on a grid sheet.

1 4. **(Original)**. The magnetic sheet as recited in claim 2 wherein
2 said grid pattern is situated on said magnetic sheet.

1 5. **(Original)**. The magnetic sheet as recited in claim 4 wherein
2 said grid pattern is situated over said decorative pattern on said first side of said magnetic
3 sheet.

1 6. **(Original)**. The magnetic sheet as recited in claim 1 wherein
2 said decorative pattern is applied to said first side by silk screening or painting.

1 7. **(Original)**. The magnetic sheet as recited in claim 1 wherein
2 said decorative pattern is provided on a decorative sheet that is laminated to said sheet
3 magnet.

1 **8. (Previously Amended)** The magnetic sheet as recited in claim 1 wherein
2 said sheet magnet is pre-sized to fit said electrical appliance.

1 **9. (Previously Amended)** The magnetic sheet as recited in claim 1 wherein
2 said electrical appliance comprises a kitchen appliance.

1 **10.(Original).** The magnetic sheet as recited in claim 9 wherein
2 said kitchen appliance is a refrigerator.

1 **11. (Original).** The magnetic sheet as recited in claim 1 wherein
2 said decorative pattern comprises a single color.

1 **12. (Original).** The magnetic sheet as recited in claim 1 wherein
2 said decorative pattern comprises multiple colors.

1 **13. (Previously and Currently Amended)** The magnetic sheet as recited in claim 1 wherein
2 said electrical appliance ~~comprises~~ has a plurality of surfaces that lie in different planes; and
3 said sheet magnet ~~comprising~~ has a thickness of 0.015 inch (0.4 mm) - 0.030 inch (.75 mm)
4 to permit said sheet magnet to be folded over any intersections between said plurality of surfaces.

1 **14. (Canceled)**

1 **15. (Currently Amended).** The magnetic sheet as recited in claim 13 wherein
2 said sheet magnet has been cut into multiple pieces adapted to cover ~~covers~~ each of said
3 plurality of surfaces.

1 **16. (Previously Amended)** A system for changing the appearance of an electrical appliance having
2 an original appearance comprising:

3 a magnetic sheet having at least one decorative pattern on a first side thereof; and

4 a grid pattern on at least one side of the magnetic sheet for cutting said magnetic sheet to a
5 size to cover at least one surface of said electrical appliance grid pattern;

6 said magnetic sheet having a second side for adhering to said appliance said magnetic sheet
7 covering at least one surface of the electrical appliance so that said appearance of said at least one
8 surface becomes changed from said original appearance to said at least one decorative pattern.

1 **17. (Original).** The system as recited in claim 16 wherein said system comprises
2 a grid sheet that is separate from said magnetic sheet.

1 **18. (Original).** The system as recited in claim 17 wherein
2 said grid pattern is situated on said magnetic sheet.

1 **19. (Original).** The system as recited in claim 18 wherein
2 said grid pattern is situated on a grid sheet situated over said decorative pattern on said first
3 side of said magnetic sheet.

1 20. **(Original).** The system as recited in claim 16 wherein
2 said decorative pattern is applied to said first side by silk screening or painting.

1 21. **(Original).** The system as recited in claim 16 wherein
2 said decorative pattern is provided on a decorative sheet that is laminated to said first side of
3 said magnetic sheet.

1 22. **(Previously Amended)** The system as recited in claim 16 wherein
2 said magnetic sheet is pre- configured to fit said electrical appliance.

1 23. **(Previously Amended)** The system as recited in claim 16 wherein
2 said electrical appliance is a kitchen appliance.

1 24. **(Original).** The system as recited in claim 23 wherein
2 said kitchen appliance is a refrigerator.

1 **25.(Original).** The system as recited in claim 16 wherein
2 said decorative pattern comprises a single color.

1 **26. (Original).** The system as recited in claim 16 wherein
2 said decorative pattern comprises multiple colors.

1 **27. (Previously and Currently Amended)** The system as recited in claim ~~23~~ 16 wherein
2 said electrical appliance comprises a plurality of surfaces that lie in different planes; and
3 said magnetic sheet ~~comprising~~ has a thickness of 0.015 inch (0.4 mm) - 0.030 inch (.75 mm)
4 to permit said magnetic sheet to be folded over any intersections between said plurality of surfaces.

1 **28. (Previously Amended)** The system as recited in claim 16 wherein
2 said magnetic sheet comprises at least one line of weakness.

1 **29. (Previously and Currently Amended)** The system as recited in claim ~~23~~ 16 wherein

2 said appliance comprises a plurality of external surfaces, and

3 said magnetic sheet ~~covering~~ has been cut according to said grid pattern into multiple pieces

4 so that a plurality of said multiple pieces covers each of said plurality of external surfaces that ~~are~~ is

5 visible to the naked eye ~~when said electrical appliance is situated in said kitchen.~~

1 **30. (Currently Amended).** The system as recited in claim ~~24~~ 17 wherein

2 said magnetic sheet has been cut according to said grid pattern into multiple pieces so that a

3 plurality of said multiple pieces covers all exterior surfaces of said refrigerator that are visible to the

4 naked eye when said refrigerator is situated in said kitchen.

1 31. (Previously and Currently Amended) A method for changing the appearance of ~~an electrical~~
2 ~~appliance; an appliance having a plurality of external surfaces, the method~~ comprising the steps of:
3 providing a magnetic sheet having
4 a decorative pattern on a first side thereof and
5 a magnet on a second side thereof; and
6 providing a grid pattern; then
7 situating the grid pattern on at least one of said external surfaces; then
8 cutting said magnetic sheet for said at least one of said external surface according to said grid
9 pattern; then
10 ~~so that applying said magnetic sheet may be applied to said at least one of said external~~
11 ~~surfaces so that said decorative pattern is visible. external surface of the electrical appliance to cover~~
12 ~~in order to change the decorative appearance of the external surface from an original appearance to~~
13 ~~said decorative pattern.~~

1 32. (Canceled).

1 33. (Currently Amended). The method as recited in claim 31 wherein ~~said method further~~
2 ~~comprises the step of: providing~~
3 said grid pattern is situated on a grid sheet that is separate from said magnetic sheet.

1 **34. (Currently Amended).** The method as recited in claim 32 31 wherein
2 said grid pattern is situated on said magnetic sheet.

1 **35. (Currently Amended).** The method as recited in claim 33 ~~wherein said grid pattern is~~
2 ~~situated on a grid sheet, said method~~ and further comprising the step of:
3 situating the grid sheet over said decorative pattern on said first side of said magnetic sheet.

1 **36. (Original).** The method as recited in claim 31 wherein said method further
2 comprises the step of:
3 applying said decorative pattern to said first side by silk screening or painting.

1 **37. (Original).** The method as recited in claim 31 wherein said method further
2 comprises the steps of:
3 providing said decorative pattern on a decorative sheet;
4 laminating said decorative sheet to said first side of said magnetic sheet.

1 **38. (Previously Amended)** The method as recited in claim 31 wherein said method further
2 comprises the step of:
3 pre-forming said magnetic sheet to fit said ~~electrical~~ appliance.

1 **39. (Previously and Currently Amended).** The method as recited in claim 38 wherein
2 said ~~electrical~~ appliance is a refrigerator.

1 **40. (Previously Amended)** The method as recited in claim 31 wherein said method further
2 comprises the step of:
3 providing a magnetic sheet comprising a decorative pattern comprising a continuous color.

1 **41. (Original).** The method as recited in claim 31 wherein ~~said method further~~
2 ~~comprises the step of: providing a magnetic sheet comprising a~~
3 the decorative pattern comprising comprises multiple colors.

1 **42. (Previously Amended)** The method as recited in claim 41 wherein
2 said decorative pattern comprises a floral pattern, picture or solid pattern.

1 **43. (Previously and Currently Amended)** The method as recited in claim ~~41~~ 31 wherein

2 said electrical appliance ~~comprises~~ has a plurality of surfaces that lie in different planes, and

3 ~~said providing step further comprising the step of: providing a~~

4 the magnetic sheet comprising has a thickness of 0.015 inch (0.4 mm) - 0.030 inch (~~.75 mm~~)

5 (.75 mm) to permit said magnetic sheet to be folded over any intersections between said plurality of

6 surfaces.

1 **44. (Previously and Currently Amended)** The method as recited in claim ~~41~~ 31 wherein ~~said~~

2 ~~providing step further comprises the step of:~~

3 ~~providing a~~ the magnetic sheet comprising has at least one line of weakness ~~along which said~~

4 magnetic.

1 **45. (Previously and Currently Amended)** The method as recited in claim ~~41~~ 31 wherein

2 ~~said appliance comprises a plurality of external surfaces, said method further comprising the step of:~~

3 ~~providing a magnetic sheet that covers each of said~~

4 said magnetic sheet is cut into multiple pieces adapted to cover a plurality of external surfaces

5 that are visible to the naked eye ~~when said electrical appliance is situated in said kitchen.~~

1 46. (Previously and Currently Amended). The method as recited in claim 39 43 wherein
2 said method further comprises the step of:
3 ~~providing a~~ cutting the magnetic sheet ~~that~~ into multiple pieces adapted to cover ~~covers~~ all
4 exterior surfaces of said refrigerator that are visible to the naked eye ~~when said refrigerator is situated~~
5 ~~in said kitchen.~~

1 47. (Previously and Currently Amended) A method for decorating an electrical appliance having
2 an exterior surface, said method comprising the steps of:

3 ~~selecting said exterior surface of said electrical appliance to decorate with a decorative~~
4 ~~pattern;~~

5 selecting a magnetic sheet having a first side and a second side, the second side bearing a
6 decorative pattern; then

7 situating a grid on said exterior surface; then

8 creating a tracing of said exterior surface on said grid; then

9 situating a the first side of a said magnetic sheet onto said exterior surface according to said
10 tracing ~~to cover the entirety of said exterior surface; and~~

11 ~~said magnetic sheet comprising a second side having said decorative pattern thereon.~~

1 48. (Canceled).

1 49. (Currently Amended). The method for decorating as recited in claim 48 ~~48~~ 47 wherein
2 said method further comprises the step of:

3 situating said grid on said magnetic sheet; and

4 cutting said magnetic sheet using said tracing ~~created during said tracing step.~~

1 **50. (Previously Amended)** The method for decorating as recited in claim 47 wherein said method
2 further comprises the step of:
3 laying said magnetic sheet on a flat surface until said magnetic sheet lies in a first plane that
4 is generally planar.

1 **51. (Currently Amended).** The method for decorating as recited in claim ~~48~~ 47 wherein
2 said grid is situated on a grid sheet, and
3 said method further ~~comprising~~ comprises the steps of
4 transferring the tracing on said grid sheet onto said magnetic sheet; and
5 cutting said magnetic sheet after said transferring step.

1 **52. (Previously and Currently Amended)** An electrical appliance having a removable decoration
2 comprising:

3 an electrical appliance;

4 a sheet magnet having

5 a first side and a second side; and

6 at least one decorative pattern on ~~a said first side of said sheet magnet;~~

7 a magnetic surface on said second side; and

8 a fitting sheet having a grid pattern

9 ~~said sheet magnet having a second side comprising a magnetic surface for adhering to said~~
10 ~~electrical appliance;~~

11 wherein said sheet magnet may be cut to size according to said grid pattern to adapt said sheet
12 magnet to cover ~~covering~~ at least one surface of the electrical appliance ~~so that said at least one~~
13 ~~surface is covered by~~ with said decoration to change the appearance of the electrical appliance.

1 **53. (Canceled)**

1 **54. (Previously and Currently Amended)** The electrical appliance as recited in claim ~~53~~ 52

2 wherein

3 said grid pattern is situated on a grid sheet.

1 **55. (Previously and Currently Amended)** The electrical appliance as recited in claim ~~53~~ 52
2 wherein

3 said grid pattern is situated on said magnetic sheet.

1 **56. (Previously Amended)** The electrical appliance as recited in claim 55 wherein
2 said grid pattern is situated over said decorative pattern on said first side of said magnetic
3 sheet.

1 **57. (Previously Amended)** The electrical appliance as recited in claim 52 wherein
2 said decorative pattern is applied to said first side by silk screening or painting.

1 **58. (Previously Amended)** The electrical appliance as recited in claim 52 wherein
2 said decorative pattern is provided on a decorative sheet that is laminated to said sheet
3 magnet.

1 **59. (Previously Amended)** The electrical appliance as recited in claim 52 wherein
2 said sheet magnet is pre-sized to fit said electrical appliance.

1 **60. (Previously Amended)** The electrical appliance as recited in claim 52 wherein
2 said appliance comprises a kitchen appliance.

1 **61. (Previously Amended)** The electrical appliance as recited in claim 60 wherein
2 said kitchen appliance is a refrigerator.

1 **62. (Previously Amended)** The electrical appliance as recited in claim 52 wherein
2 said decorative pattern comprises a single color.

1 **63. (Previously Amended)** The electrical appliance as recited in claim 52 wherein
2 said decorative pattern comprises multiple colors.

1 **64. (Previously and Currently Amended)** The electrical appliance as recited in claim 52 wherein
2 said electrical appliance comprises a plurality of surfaces that lie in different planes; and
3 said sheet magnet ~~comprising~~ has a thickness of 0.015 inch (0.4 mm) - 0.030 inch (.75 mm)
4 to permit said sheet magnet to be folded over any intersections between said plurality of surfaces.

1 **65. (Previously Amended)** The electrical appliance as recited in claim 64 wherein
2 said sheet magnet comprises at least one line of weakness.

1 **66. (Previously and Currently Amended)** The electrical appliance as recited in claim 64
2 wherein
3 said sheet magnet has been cut into multiple pieces adapted to cover ~~—covers~~ each of said
4 plurality of surfaces.